

沈阳瑞思达轴承有限公司 SHENYANG TOTAL BEARING CO.,LTD.

Tel: 024 22945833 22923833 24853899 Fax: 024 88729249

Mobile: 13940483518 15640413155 (微信)

Web: <https://www.rstbearing.com.cn>



## DEEP GROOVE BALL BEARINGS

LAST UPDATE : 2006.01.17

深溝玉軸受



MALEX CORPORATION LIMITED

[www.malexbearing.com](http://www.malexbearing.com)

MB

ME

MT

PA

PB

PC

PD

PH

PJ

PT

PU

PZ

KA


# MALEX MOTION PTE LTD

Singapore - Distribution and Logistic center of Malex Co.,Ltd (Japan)

Tel : 065-6297 3328 F : 065-6297 5393 Email : enquiry@malexbearing.com



## 深溝玉軸受



## MALEX® DEEP GROOVE BALL BEARINGS

<i>d</i>	<i>D</i>	<i>B</i>		Basic No.	Shield	Sealed	Ctn	Snap Ring	Ctn
10	19	5	Ⓜ	6800	ZZ	DD			
	22	6	Ⓜ	6900	ZZ	DD			
	26	8		6000	ZZ	DD	400		
	30	9		6200	ZZ	DD	400		
	35	11		6300	ZZ	DD	400		
12	21	5	Ⓜ	6801	ZZ	DD			
	24	6	Ⓜ	6901	ZZ	DD			
	28	8		6000	ZZ	DD	400		
	32	10		6201	ZZ	DD	400		
	37	12		6301	ZZ	DD	400		
15	24	5	Ⓜ	6802	ZZ	DD			
	28	7	Ⓜ	6902	ZZ	DD			
	32	9		6002	ZZ	DD	400		
	35	11		6202	ZZ	DD	400		
	42	13		6302	ZZ	DD	350		
17	26	5	Ⓜ	6803	ZZ	DD			
	30	7	Ⓜ	6903	ZZ	DD			
	35	10		6003	ZZ	DD	400		
	40	12		6203	ZZ	DD	350		
	47	14		6303	ZZ	DD	231		
	62	17		6403	ZZ	DD	100		
20	32	7	Ⓜ	6804	ZZ	DD			
	37	9	Ⓜ	6904	ZZ	DD			
	42	12		6004	ZZ	DD	350		
	47	14		6204	ZZ	DD	231		
	52	15		6304	ZZ	DD	156		

Ⓜ New added item ● MOQ require ◎ Special Tolerance ⊕ Refer to Special Dimension ⊙ Upgraded Sealed Design

# MALEX MOTION PTE LTD

Singapore - Distribution and Logistic center of Malex Co.,Ltd (Japan)

Tel : 065-6297 3328 F : 065-6297 5393 Email : enquiry@malexbearing.com



MB

ME

MT

PA

PB

PC

PD

PH

PJ


PT

PU

PZ

KA

## 深溝玉軸受



## MALEX® DEEP GROOVE BALL BEARINGS

<i>d</i>	<i>D</i>	<i>B</i>	Basic No.	Shield	Sealed	Ctn	Snap Ring	Ctn
22	44	12	<b>60/22</b>		<b>DD</b>	350		
	50	14	<b>62/22</b>		<b>DD</b>	216		
	56	16	<b>63/22</b>		<b>DD</b>			
25	37	7	<b>6805</b>	<b>ZZ</b>	<b>DD</b>			
	42	9	<b>6905</b>	<b>ZZ</b>	<b>DD</b>			
	47	12	<b>6005</b>	<b>ZZ</b>	<b>DD</b>	300		
	52	15	<b>6205</b>	<b>ZZ</b>	<b>DD</b>	210		
	62	17	<b>6305</b>	<b>ZZ</b>	<b>DD</b>	125		
28	52	12	<b>60/28</b>		<b>DD</b>	216		
	58	16	<b>62/28</b>		<b>DD</b>			
	68	18	<b>63/28</b>		<b>DD</b>	125		
30	42	7	<b>6806</b>	<b>ZZ</b>	<b>DD</b>			
	47	9	<b>6906</b>	<b>ZZ</b>	<b>DD</b>			
	55	13	<b>6006</b>	<b>ZZ</b>	<b>DD</b>	200		
	62	16	<b>6206</b>	<b>ZZ</b>	<b>DD</b>	125		
	72	19	<b>6306</b>	<b>ZZ</b>	<b>DD</b>	78		
32	58	13	<b>60/32</b>		<b>DD</b>	200		
	65	17	<b>62/32</b>		<b>DD</b>	125		
	75	20	<b>63/32</b>		<b>DD</b>	68		
35	47	7	<b>6807</b>	<b>ZZ</b>	<b>DD</b>			
	55	10	<b>6907</b>	<b>ZZ</b>	<b>DD</b>			
	62	14	<b>6007</b>	<b>ZZ</b>	<b>DD</b>	125		
	72	17	<b>6207</b>	<b>ZZ</b>	<b>DD</b>	100		
	80	21	<b>6307</b>	<b>ZZ</b>	<b>DD</b>	60		

Ⓜ New added item Ⓜ MOQ require Ⓜ Special Tolerance Ⓜ Refer to Special Dimension Ⓜ Upgraded Sealed Design

MB.02


# MALEX MOTION PTE LTD

Singapore - Distribution and Logistic center of Malex Co.,Ltd (Japan)

Tel : 065-6297 3328 F : 065-6297 5393 Email : enquiry@malexbearing.com



## 深溝玉軸受



## MALEX ® DEEP GROOVE BALL BEARINGS

<i>d</i>	<i>D</i>	<i>B</i>		Basic No.	Shield	Sealed	<i>Ctn</i>	Snap Ring	<i>Ctn</i>
40	52	7	Ⓜ	<b>6808</b>	<b>ZZ</b>	<b>DD</b>			
	62	12	Ⓜ	<b>6908</b>	<b>ZZ</b>	<b>DD</b>			
	68	15		<b>6008</b>	<b>ZZ</b>	<b>DD</b>	125		
	80	18		<b>6208</b>	<b>ZZ</b>	<b>DD</b>		<b>NR</b>	
	90	23		<b>6308</b>	<b>ZZ</b>	<b>DD</b>		<b>NR</b>	
45	58	7	Ⓜ	<b>6809</b>	<b>ZZ</b>	<b>DD</b>			
	68	12	Ⓜ	<b>6909</b>	<b>ZZ</b>	<b>DD</b>			
	75	16		<b>6009</b>	<b>ZZ</b>	<b>DD</b>	92		
	85	19		<b>6209</b>	<b>ZZ</b>	<b>DD</b>			
	100	25		<b>6309</b>	<b>ZZ</b>	<b>DD</b>	36		
50	65	7	Ⓜ	<b>6810</b>	<b>ZZ</b>	<b>DD</b>			
	72	12	Ⓜ	<b>6910</b>	<b>ZZ</b>	<b>DD</b>			
	80	16		<b>6010</b>	<b>ZZ</b>	<b>DD</b>			
	90	20		<b>6210</b>	<b>ZZ</b>	<b>DD</b>		<b>NR</b>	

沈阳瑞思达轴承有限公司 SHENYANG TOTAL BEARING CO.,LTD.

Tel: 024 22945833 22923833 24853899 Fax: 024 88729249

Mobile: 13940483518 15640413155 (微信)

Web: <https://www.rstbearing.com.cn>



Ⓜ New added item ● MOQ require ● Special Tolerance ● Refer to Special Dimension ● Upgraded Sealed Design